

2025

Physician Clinical Integration

Progress Report

FACT SHEET



**Memorial
Health Network**

QUALITY

Domain	Measure	Summary																			
QUALITY	Well-Child Exams in the First 30 Months of Life	<ul style="list-style-type: none"> There are two age stratifications with this measure: <ul style="list-style-type: none"> Children who turn 15 months of age during measurement year; must have had 6 or more well-child visits before the child's 15-month birthday Children who turn 30 months of age during measurement year; must have had 2 or more well-child visits between 15 and 30 months of age Must be coded appropriately (See table) 																			
	Child and Adolescent Well-Care Visits Ages 3 to 21	<ul style="list-style-type: none"> Measures those members 3–21 years of age who had at least one comprehensive well-care visit with PCP or OB/GYN during the measurement year (2025) Must be coded appropriately (See table) 																			
	Breast Cancer Screening	<ul style="list-style-type: none"> Measures the percentage of women 50–74 years of age who have had at least one mammogram in the previous 27 months (10/2023–12/2025) Must be coded appropriately (See table) 																			
	Cervical Cancer Screening	<ul style="list-style-type: none"> Measures the percentage of women 21–64 years of age who were screened for cervical cancer using either of the following criteria: <ul style="list-style-type: none"> Women 21–64 years of age who had cervical cytology performed every three years (2023-2025) Women 30–64 years of age who had cervical cytology/human papillomavirus (HPV) co-testing performed every five years (2021-2025) 																			
	Chlamydia Screening	<ul style="list-style-type: none"> Measures the percentage of members recommended for routine chlamydia screening 16–24 years of age who were identified as sexually active via medical claims or pharmacy data (oral contraceptives) and who had at least one screening test for chlamydia during the measurement year (2025) Exclusion: Members who were assigned male at birth Chlamydia may be screened via urine test or vaginal swab Submission of CPT Code 87491 (Chlamydia single test, urine or vaginal swab) indicates compliance with this measure 																			
	Colorectal Cancer Screening	<ul style="list-style-type: none"> Measures the percentage of members 45–75 years of age who had appropriate screening for colorectal cancer Must be coded appropriately (See table) 																			
	Use of Opioids at High Dosage	<ul style="list-style-type: none"> Measures the percentage of members 18 years of age and older who received prescription opioids at a dosage at/above 90 milligrams morphine equivalents (MME) per day for 15 days or more during the measurement year Measure will only be reported (not scored) for performance year 2025 Data are obtained from pharmacy claims; a lower rate indicates better performance <table border="1"> <thead> <tr> <th>Opioid</th> <th>MME Conversion</th> <th>Opioid</th> <th>MME Conversion</th> </tr> </thead> <tbody> <tr> <td>Codeine sulfate</td> <td>0.15</td> <td>Methadone</td> <td>3</td> </tr> <tr> <td>Fentanyl patch (mcg/hr)</td> <td>2.4</td> <td>Morphine</td> <td>1</td> </tr> <tr> <td>Hydrocodone</td> <td>1</td> <td>Oxycodone</td> <td>1.5</td> </tr> <tr> <td>Hydromorphone</td> <td>4</td> <td>Tramadol</td> <td>0.2</td> </tr> </tbody> </table>	Opioid	MME Conversion	Opioid	MME Conversion	Codeine sulfate	0.15	Methadone	3	Fentanyl patch (mcg/hr)	2.4	Morphine	1	Hydrocodone	1	Oxycodone	1.5	Hydromorphone	4	Tramadol
Opioid	MME Conversion	Opioid	MME Conversion																		
Codeine sulfate	0.15	Methadone	3																		
Fentanyl patch (mcg/hr)	2.4	Morphine	1																		
Hydrocodone	1	Oxycodone	1.5																		
Hydromorphone	4	Tramadol	0.2																		

Domain	Measure	Summary
QUALITY CONTINUED	Diabetes Care – HbA1c Control (< 8.0)	<ul style="list-style-type: none"> Measures the percentage of members 18–75 years of age with diabetes (type 1 and type 2) who had Hemoglobin A1c (HbA1c) testing within the measurement year and the value returned as < 8.0 percent Must use the most recent test results during the measurement year (2025) and include appropriate CPT II code reflecting the result (See below) <ul style="list-style-type: none"> 3044F < 7.0 percent 3051F ≥ 7.0 and < 8.0 percent 3052F ≥ 8.0 and ≤ 9.0 percent 3046F > 9.0 percent
	Diabetes Care – Eye Exam	<ul style="list-style-type: none"> Measures the percentage of members 18–75 years of age with diabetes (type 1 and type 2) who had one of the following comprehensive eye exams to screen/ monitor for diabetic retinal disease Screening must include one of the following: <ul style="list-style-type: none"> Retinal or dilated eye exam by an optometrist or ophthalmologist in the measurement year (2025) <u>Negative</u> retinal or dilated eye exam by an optometrist or ophthalmologist in the year prior to the measurement year (2024) Bilateral eye enucleation prior to or during the measurement year Blindness is not an exclusion for this measure because it is difficult to distinguish between those who are legally blind but require a retinal exam and those who are completely blind and therefore do not require an exam PCPs should submit appropriate CPT II code at the appointment following the receipt of the report from the specialist Must be coded appropriately (See table)
	Hypertension – Controlling High Blood Pressure	<ul style="list-style-type: none"> Measures the percentage of members 18–85 years of age with hypertension and whose most recent blood pressure during the measurement year (2025) is BELOW 140/90 mmHg Must use the most recent blood pressure reading obtained during the measurement year (2025) and include the appropriate CPT II code reflecting the result (See below) <ul style="list-style-type: none"> Last/most recent SYSTOLIC blood pressure obtained during the measurement year: <ul style="list-style-type: none"> 3074F < 130 mm Hg 3075F 130-139 mm Hg 3077F ≥ 140 mm Hg Last/most recent DIASTOLIC blood pressure obtained during the measurement year: <ul style="list-style-type: none"> 3078F < 80 mm Hg 3079F 80-89 mm Hg 3080F ≥ 90 mm Hg
	Cesarean Section Rate	<ul style="list-style-type: none"> Measures the primary C-section rate across all deliveries Numerator consists of patients with a primary C-section delivery Denominator consists of patients with a delivery DRG Patients with a previous C-section are excluded from this measure
	Episiotomy Rate	<ul style="list-style-type: none"> Purpose is to reduce the rate of routine episiotomies Evidence-based guidelines recommend against routine episiotomy, as studies fail to show maternal benefit

CODES FOR QUALITY MEASURES

Measure	Description	CPT	ICD-10-CM	HCPCS
Well-Child Exams in the First 30 Months of Life	Infant (younger than 1 year)	99381 New patient 99391 Established	<ul style="list-style-type: none"> • Z00.110 Health supervision for newborn under 8 days old • Z00.111 Health supervision for newborn up to 28 days old • Z00.121 Routine child health exam with abnormal findings • Z00.129 Routine child health exam without abnormal findings 	
	Early childhood (1–4 years of age)	99382 New patient 99392 Established		
Child and Adolescent Well-Care Visits Ages 3-21	Early childhood (1–4 years of age)	99382 New patient 99392 Established	<ul style="list-style-type: none"> • Z00.121 Routine child health exam with abnormal findings • Z00.129 Routine child health exam without abnormal findings 	
	Late childhood (5–11 years of age)	99383 New patient 99393 Established		
	Adolescent (12–17 years of age)	99384 New patient 99394 Established		
	18 years or older	99385 New patient 99395 Established	<ul style="list-style-type: none"> • Z00.00 General adult medical exam without abnormal findings • Z00.01 General adult medical exam with abnormal findings 	
Breast Cancer Screening	Mammography bilateral	77066, 77067		G9899, G9900
	Exclusion – Bilateral mastectomy		• Z90.13	
	Exclusion – Hospice intervention	99377-99378		G9687-88, G9690-94, G9700, G9702, G9707, G9709-10
Cervical Cancer Screening	Women 21–64 years of age who had cervical cytology performed every three years (2023–2025)	88150, 88141-43, 88147-48, 88152-4, 88164-7, 88174-5	<ul style="list-style-type: none"> • Z01.411 Encounter for gynecological exam with abnormal findings • Z01.419 Encounter for gynecological exam without abnormal findings • Z12.4 Encounter for screening for malignant neoplasms of cervix • Z12.72 Encounter for screening for malignant neoplasm of vagina 	G0123, G0124, G0141, G0143-45, G0147-48, P3000-01, Q0091
	Women 30–64 years of age who had cervical cytology/human papillomavirus (HPV) co-testing performed every five years (2021-2025)	87620, 87621, 87622, 87624, 87625	<ul style="list-style-type: none"> • Z11.51 Encounter for screening for HPV • Z01.411 Encounter for gynecological exam with abnormal findings • Z01.419 Encounter for gynecological exam without abnormal findings 	G0476 Must be performed and documented in addition to cervical cytology (Pap test)
	Exclusion – “Total”, “Complete” or “Radical” hysterectomy or hysterectomy with no residual cervix	51925, 56308, 57540, 57545, 57550, 58150, 58152, 58200, 58210, 58240, 58260, 58267, 58270, 58275, 58280, 58285, 58548, 58550, 58575, 58951, 58956, 59135, 57555-6, 58262-3, 58290-4, 58552-4, 58570-3, 58953-4	Absence of cervix <ul style="list-style-type: none"> • Q51.5 • Z90.710 • Z90.712 	

CODES FOR QUALITY MEASURES

Measure	Description	CPT	ICD-10-CM	HPCS
Colorectal Cancer Screening	Fecal occult blood/FIT (2025)	82270, 82274		G0328
	Flexible sigmoidoscopy (2021-2025)	45325, 45330, 45334, 45335, 45350		G0104, G0106
	Colonoscopy (2016-2025)	45378, 45380, 45381, 45382, 45384, 45385		G0105, G0120, G0121
	CT colonography/ Virtual Colonoscopy (2021-2025)	74261, 74262, 74263		
	FIT-DNA stool test (Cologuard) (2023-2025)	81528		
Diabetes Care – Eye Exam Codes Submitted by Primary Care Providers (PCPs)	Dilated retinal eye exam (interpreted by optometrist or ophthalmologist) <u>with</u> evidence of retinopathy	2022F		
	Dilated retinal eye exam (interpreted by optometrist or ophthalmologist) <u>without</u> evidence of retinopathy	2023F		
	Low risk for retinopathy; no evidence of retinopathy in the prior year - <u>Use only if the eye exam was completed in the prior measurement year (2024)</u>	3072F		
Diabetes Care – Eye Exam Codes Submitted by Optometrist/Ophthalmologist	Diabetic retinal screening – Billed by an eye care professional during the measurement year (2025)	67028, 67030, 67031, 67036, 67039-67043, 67101, 67105, 67107, 67108, 67110, 67113, 67121, 67141, 67145, 67208, 67210, 67218, 67220, 67221, 67227, 67228, 92002, 92004, 92012, 92014, 92018, 92019, 92134, 92201, 92202, 92225-92228, 92230, 92235, 92240, 92250, 92260, 99203-99205, 99213-99215, 99242-99245		S0620, S0621, S3000
Diabetes Care – Eye Exam Codes Submitted by ANY Provider Type	Automated eye exam (AI interpretation) – Billed by any provider type during the measurement year (2025)	92229		
	Eye exam <u>with</u> evidence of retinopathy – Billed by any provider type during the measurement year (2025)	2022F, 2024F, 2026F		
	Eye exam <u>without</u> evidence of retinopathy – Billed by any provider type during the measurement year (2025)	2023F, 2025F, 2033F		
	Diabetic retinal screening was NEGATIVE in PRIOR YEAR (2024) – Billed by any provider type during the measurement year (2025)	3072F		

Domain	Measure	Summary
EFFICIENCY	Generic Medication Usage	<ul style="list-style-type: none"> Measures the ratio of generic prescriptions divided by the total prescriptions (brand and generic) prescribed for MHN-attributed members during the measurement year (2025) Inpatient orders are not included in this measure Goal: Varies by specialty and is based upon historical performance Exclusion: Branded Levothyroxine products Threshold: 25 total outpatient prescriptions
	ED Visits per 1,000	<ul style="list-style-type: none"> Applicable to primary care providers only For group practices, the practice rate will be used, NOT the individual physician rate Measures the ED utilization of all members seen by the practice Calculated by taking the number of ED visits during the measurement year (2025) divided by the number of member months per practice multiplied by 12,000
	Average Length of Stay	<ul style="list-style-type: none"> Reports the arithmetic average length of stay for all cases attributed to a provider over a rolling 12-month period Value indicates the provider's average length of stay for cases with the Memorial Healthcare System Crimson utilizes a grouper for calculation of this measure to compare physicians to "like" cases Physicians who achieve better than the mean length of stay for their comparison group will receive one point for this measure Threshold: 10 cases Population: All inpatients within the Memorial Healthcare System regardless of payer
	30-Day All-Cause Readmission Ratio 30-Day Heart Failure Readmission Ratio	<ul style="list-style-type: none"> For the all-cause readmissions, pediatrics and adults will be broken out into two separate scores Physicians will be measured on a system total, NOT on individual performance - Adult rate: MHN 30-day readmission rate is compared to the 30-day rate for the "Florida Hospitals" cohort - Heart Failure, Adult: MHN 30-day readmission rate for patients with heart failure (HF APR- DRG) is compared to the corresponding 30-day rate (same patient population) within the "Florida Hospitals" cohort - Pediatric rate: MHN 30-day readmission rate is compared to the 30-day rate for the "Florida Hospitals with Pediatric Beds" cohort Goal: To have the observed rate over the expected rate be ≤ 1.0

Domain	Measure	Summary
CITIZENSHIP	Clinical Integration Education – One CI Program Update Session	<ul style="list-style-type: none"> Attendance at one MHN CI Program Update Session in-person or online per calendar year is required In-person sessions are conveniently offered at various Memorial Healthcare System locations Goal: One full point will be awarded to physicians compliant with this metric
	MHN Second Education Topic	<ul style="list-style-type: none"> Attendance at one MHN-related topic session in-person or online per calendar year is required Topic to be determined by the MHN Quality/IT Committee Goal: One full point will be awarded to physicians compliant with this metric
	CI Education – Office Manager Symposium	<ul style="list-style-type: none"> Provides targeted MHN information to office administrative staff Attendance at one Office Manager Symposium in-person or online per calendar year by at least one member of the office staff Goal: One full point will be awarded to physicians compliant with this metric
	Extended Hours – Bonus	<ul style="list-style-type: none"> Encourages physicians to expand office hours, accommodating same-day appointments to reduce visits to emergency departments and out-of-network providers Extended hours defined as at least one hour per week that meets at least one of the following requirements listed below Appointments must be available during these times: <ul style="list-style-type: none"> - Any office hours on Saturday or Sunday - Additional office hours on Monday through Friday before 8 AM or after 6 PM Must complete After-Hours Access Attestation form indicating availability of appointments during the hours stated above Goal: One bonus point will be awarded to office-based physicians compliant with this metric



Scan the QR code
for more information.



